



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Aluminium Sheet 1.2 mm thick	2,500	1,250	1.2		10.2	Alloy 1050-H14		VC1
Aluminium Sheet 1.5 mm thick	2,500	1,250	1.5		12.7	Alloy 1050-H14		VC1
Aluminium Sheet 2.0 mm thick	2,500	1,250	2		16.9	Alloy 1050-H14		VC1
Aluminium Sheet 3.0 mm thick	2,500	1,250	3		25.4	Alloy 1050-H14		VC1
Aluminium 5 Bar 2.0 mm o/p	2,000	1,000	2		11	ALUMINIUM 5 BAR		
Aluminium 5 Bar 2.0 mm o/p	2,500	1,250	2		17.6	ALUMINIUM 5 BAR		
Aluminium 5 Bar 3.0 mm o/p	2,500	1,250	3		24.8	ALUMINIUM 5 BAR		
Walkway 25 x 3 Flats 41/100	6,000	1,000	3		228	BSEN10025 S275JR	GALV	
Walkway 25 x 3 Flats 41/100	6,000	1,000	3		108	BSEN10025 S275JR	SELFCOLOUR	
Walkway 30 x 5 Flats 41/100	6,000	1,000	5		204	BSEN10025 S275JR	SELFCOLOUR	
M.S. Angles 16 x 16 x 3	6,150			0.7	4.5	BSEN10025 S275JR		
M.S. Angles 20 x 20 x 3	6,150			0.88	5.5	BSEN10025 S275JR		
M.S. Angles 25 x 25 x 3	6,150			1.11	7	BSEN10025 S275JR		
M.S. Angles 25 x 25 x 5	6,150			1.76	11	BSEN10025 S275JR		
M.S. Angles 30 x 30 x 3	6,150			1.36	8.5	BSEN10025 S275JR		
M.S. Angles 30 x 30 x 5	6,150			2.18	14	BSEN10025 S275JR		
M.S. Angles 40 x 25 x 4	6,150			1.91	12	BSEN10025 S275JR		
M.S. Angles 40 x 40 x 3	6,150			1.84	12	BSEN10025 S275JR		
M.S. Angles 40 x 40 x 5	6,150			2.97	19	BSEN10025 S275JR		
M.S. Angles 40 x 40 x 6	6,150			3.52	22	BSEN10025 S275JR		
M.S. Angles 45 x 45 x 6	6,150			4	25	BSEN10025 S275JR		
M.S. Angles 50 x 40 x 5	6,150			3.37	21	BSEN10025 S275JR		
M.S. Angles 50 x 50 x 3	6,150			2.33	15	BSEN10025 S275JR		
M.S. Angles 50 x 50 x 5	6,150			3.77	24	BSEN10025 S275JR		
M.S. Angles 50 x 50 x 6	6,150			4.47	28	BSEN10025 S275JR		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
M.S. Angles 50 x 50 x 8	6,150			5.82	36	BSEN10025 S275JR		
M.S. Angles 60 x 30 x 5	6,150			3.37	21	BSEN10025 S275JR		
M.S. Angles 60 x 30 x 6	6,150			3.99	25	BSEN10025 S275JR		
M.S. Angles 60 x 60 x 6	6,150			5.42	35	BSEN10025 S275JR		
M.S. Angles 60 x 60 x 8	6,150			7.09	44	BSEN10025 S275JR		
M.S. Angles 65 x 50 x 6	6,150			5.16	32	BSEN10025 S275JR		
M.S. Angles 70 x 70 x 6	6,150			6.38	40	BSEN10025 S275JR		
M.S. Angles 70 x 70 x 8	6,150			8.36	52	BSEN10025 S275JR		
M.S. Angles 70 x 70 x 10	6,150			10.3	64	BSEN10025 S275JR		
M.S. Angles 75 x 50 x 6	6,150			5.65	35	BSEN10025 S275JR		
M.S. Angles 75 x 50 x 8	6,150			7.39	46	BSEN10025 S275JR		
M.S. Angles 75 x 75 x 6	6,150			6.82	42	BSEN10025 S275JR		
M.S. Angles 75 x 75 x 8	6,150			8.96	56	BSEN10025 S275JR		
M.S. Angles 75 x 75 x 10	6,150			11.05	68	BSEN10025 S275JR		
M.S. Angles 80 x 80 x 6	6,150			7.34	44	BSEN10025 S275JR		
M.S. Angles 80 x 80 x 8	6,150			9.63	60	BSEN10025 S275JR		
M.S. Angles 80 x 80 x 10	6,150			11.9	73	BSEN10025 S275JR		
M.S. Angles 90 x 90 x 10	6,150			13.4	83	BSEN10025 S275JR		
M.S. Angles 90 x 90 x 12	6,150			15.9	98	BSEN10025 S275JR		
M.S. Angles 100 x 50 x 6	6,150			6.85	43	BSEN10025 S275JR		
M.S. Angles 100 x 65 x 7	6,150			8.77	54	BSEN10025 S275JR		
M.S. Angles 100 x 65 x 10	6,150			12.3	76	BSEN10025 S275JR		
M.S. Angles 100 x 75 x 8	6,150			10.6	65	BSEN10025 S275JR		
M.S. Angles 100 x 75 x 10	6,150			13	80	BSEN10025 S275JR		
M.S. Angles 100 x 75 x 12	6,150			15.4	95	BSEN10025 S275JR		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
M.S. Angles 100 x 100 x 8	6,150			12.2	75	BSEN10025 S275JR		
M.S. Angles 100 x 100 x 10	6,150			15	92	BSEN10025 S275JR		
M.S. Angles 100 x 100 x 12	6,150			17.8	110	BSEN10025 S275JR		
M.S. Angles 120 x 120 x 10	12,225			18.2	222	BSEN10025 S275JR		
M.S. Angles 120 x 120 x 12	12,225			21.6	264	BSEN10025 S275JR		
M.S. Angles 125 x 75 x 8	6,150			12.2	75	BSEN10025 S275JR		
M.S. Angles 125 x 75 x 10	6,150			15	93	BSEN10025 S275JR		
M.S. Angles 150 x 75 x 10	12,225			17	208	BSEN10025 S275JR		
M.S. Angles 150 x 75 x 12	12,225			20.2	247	BSEN10025 S275JR		
M.S. Angles 150 x 90 x 10	12,225			18.2	222	BSEN10025 S275JR		
M.S. Angles 150 x 90 x 12	12,225			21.6	265	BSEN10025 S275JR		
M.S. Angles 150 x 150 x 10	12,225			23	281	BSEN10025 S275JR		
M.S. Angles 150 x 150 x 12	12,225			27.3	333	BSEN10025 S275JR		
M.S. Angles 200 x 100 x 10	12,225			23	281	BSEN10025 S275JR		
M.S. Angles 200 x 100 x 12	12,225			27.3	333	BSEN10025 S275JR		
Bright M.S. Angles 16 x 16 x 3	3,600			0.7	2.5	BRIGHT MILD STEEL		
Bright M.S. Angles 20 x 20 x 3	3,600			0.88	3	BRIGHT MILD STEEL		
Bright M.S. Angles 25 x 25 x 3	3,600			1.11	4	BRIGHT MILD STEEL		
Bright M.S. Angles 32 x 32 x 5	3,600			2.32	8	BRIGHT MILD STEEL		
Bright M.S. Angles 50 x 50 x 6	3,600			4.47	15	BRIGHT MILD STEEL		
Bright EN8 12 mm dia	3,350			0.89	3	BS 970 080M40		
Bright EN8 16 mm dia	3,350			1.58	5.5	BS 970 080M40		
Bright EN8 20 mm dia	3,350			2.47	8.5	BS 970 080M40		
Bright EN8 25 mm dia	3,350			3.85	13	BS 970 080M40		
Bright EN8 30 mm dia	3,350			5.55	19	BS 970 080M40		

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Bright EN8 35 mm dia	3,350			7.55	26	BS 970 080M40		
Bright EN8 40 mm dia	3,350			9.86	33	BS 970 080M40		
Bright EN8 45 mm dia	3,350			12.5	42	BS 970 080M40		
Bright EN8 50 mm dia	3,350			15.4	52	BS 970 080M40		
Bright EN8 60 mm dia	3,350			22.2	75	BS 970 080M40		
Bright EN8 65 mm dia	3,350			26	87	BS 970 080M40		
Bright EN8 70 mm dia	3,350			30.2	102	BS 970 080M40		
Bright EN8 1/2 dia	3,350			0.99	3.5	BS 970 080M40		
Bright EN8 5/8 dia	3,350			1.55	5	BS 970 080M40		
Bright EN8 3/4 dia	3,350			2.24	7.5	BS 970 080M40		
Bright EN8 7/8 dia	3,350			3.05	10	BS 970 080M40		
Bright EN8 1 in dia	3,350			3.98	14	BS 970 080M40		
Bright EN8 1 1/4 dia	3,350			6.22	21	BS 970 080M40		
Bright EN8 1 3/8 dia	3,350			7.52	25	BS 970 080M40		
Bright EN8 1 1/2 dia	3,350			8.95	30	BS 970 080M40		
Bright EN8 1 5/8 dia	3,350			10.5	35	BS 970 080M40		
Bright EN8 1 3/4 dia	3,350			12.18	41	BS 970 080M40		
Bright EN8 1 7/8 dia	3,350			13.99	47	BS 970 080M40		
Bright EN8 2 in dia	3,350			15.91	54	BS 970 080M40		
Bright EN8 2 1/2 dia	3,350			24.86	84	BS 970 080M40		
Bright EN8 3 in dia	3,350			35.8	121	BS 970 080M40		
Bright EN1A FC 8 mm dia	3,350			0.4	1.5	BS 970 230M07		
Bright EN1A FC 10 mm dia	3,350			0.62	2	BS 970 230M07		
Bright EN1A FC 12 mm dia	3,350			0.89	3	BS 970 230M07		
Bright EN1A FC 16 mm dia	3,350			1.58	5.5	BS 970 230M07		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Bright EN1A FC 20 mm dia	3,350			2.47	8.5	BS 970 230M07		
Bright EN1A FC 25 mm dia	3,350			3.85	13	BS 970 230M07		
Bright EN1A FC 26 mm dia	3,350			4.18	14	BS 970 230M07		
Bright EN1A FC 30 mm dia	3,350			5.55	19	BS 970 230M07		
Bright EN1A FC 40 mm dia	3,350			9.86	34	BS 970 230M07		
Bright EN1A FC 45 mm dia	3,350			12.5	43	BS 970 230M07		
Bright EN1A FC 50 mm dia	3,350			15.4	52	BS 970 230M07		
Bright EN1A FC 60 mm dia	3,350			22.1	74	BS 970 230M07		
Bright EN1A FC 65 mm dia	3,350			26	88	BS 970 230M07		
Bright EN1A FC 75 mm dia	3,350			34.6	115.9	BS 970 230M07		
Bright EN1A FC 80 mm dia	3,350			39.5	133	BS 970 230M07		
Bright EN1A FC 1/4 dia	3,350			0.25	0.8	BS 970 230M07		
Bright EN1A FC 5/16 dia	3,350			0.39	1.5	BS 970 230M07		
Bright EN1A FC 3/8 dia	3,350			0.56	2	BS 970 230M07		
Bright EN1A FC 1/2 dia	3,350			0.99	3.5	BS 970 230M07		
Bright EN1A FC 5/8 dia	3,350			1.55	5.5	BS 970 230M07		
Bright EN1A FC 11/16 dia	3,350			1.88	6.5	BS 970 230M07		
Bright EN1A FC 3/4 dia	3,350			2.24	7.5	BS 970 230M07		
Bright EN1A FC 13/16 dia	3,350			2.62	8.77	BS 970 230M07		
Bright EN1A FC 7/8 dia	3,350			3.05	10	BS 970 230M07		
Bright EN1A FC 1 in dia	3,350			3.98	14	BS 970 230M07		
Bright EN1A FC 1 1/16 dia	3,350			4.49	16	BS 970 230M07		
Bright EN1A FC 1 1/4 dia	3,350			6.22	21	BS 970 230M07		
Bright EN1A FC 1 5/16 dia	3,350			6.85	23	BS 970 230M07		
Bright EN1A FC 1 3/8 dia	3,350			7.52	25	BS 970 230M07		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Bright EN1A FC 1 1/2 dia	3,350			8.95	30	BS 970 230M07		
Bright EN1A FC 1 5/8 dia	3,350			10.51	35	BS 970 230M07		
Bright EN1A FC 1 3/4 dia	3,350			12.18	41	BS 970 230M07		
Bright EN1A FC 2 in dia	3,350			15.91	54	BS 970 230M07		
Bright EN1A FC 2 1/4 dia	3,350			20.14	68	BS 970 230M07		
Bright EN1A FC 2 3/8 dia	3,350			22.44	76	BS 970 230M07		
Bright EN1A FC 2 1/2 dia	3,350			24.86	84	BS 970 230M07		
Bright EN1A FC 2 5/8 dia	3,350			27.4	92	BS 970 230M07		
Bright EN1A FC 2 3/4 dia	3,350			30.08	101	BS 970 230M07		
Bright EN1A FC 3 in dia	3,350			35.8	121	BS 970 230M07		
Bright M.S. 20 x 3	3,350			0.47	1.5	BS 970 080A15		
Bright M.S. 20 x 5	3,350			0.79	3	BS 970 080A15		
Bright M.S. 20 x 8	3,350			1.25	4	BS 970 080A15		
Bright M.S. 20 x 10	3,350			1.57	5.5	BS 970 080A15		
Bright M.S. 20 x 12	3,350			1.88	6.5	BS 970 080A15		
Bright M.S. 25 x 3	3,350			0.58	2	BS 970 080A15		
Bright M.S. 25 x 5	3,350			0.98	3.5	BS 970 080A15		
Bright M.S. 25 x 6	3,500			1.18	4	BS 970 080A15		
Bright M.S. 25 x 10	3,350			1.96	7	BS 970 080A15		
Bright M.S. 25 x 12	3,350			2.36	8	BS 970 080A15		
Bright M.S. 30 x 3	3,350			0.7	2.5	BS 970 080A15		
Bright M.S. 30 x 6	3,350			1.41	5	BS 970 080A15		
Bright M.S. 30 x 10	3,350			2.36	8	BS 970 080A15		
Bright M.S. 30 x 12	3,350			2.83	10	BS 970 080A15		
Bright M.S. 30 x 16	3,350			3.77	13	BS 970 080A15		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Bright M.S. 30 x 20	3,350			4.71	16	BS 970 080A15		
Bright M.S. 32 x 6	3,350			1.48	5	BS 970 080A15		
Bright M.S. 40 x 3	3,350			0.94	3.5	BS 970 080A15		
Bright M.S. 40 x 5	3,350			1.57	5.5	BS 970 080A15		
Bright M.S. 40 x 6	3,350			1.88	6.5	BS 970 080A15		
Bright M.S. 40 x 10	3,350			3.14	11	BS 970 080A15		
Bright M.S. 40 x 12	3,350			3.77	13	BS 970 080A15		
Bright M.S. 40 x 16	3,350			5.02	17	BS 970 080A15		
Bright M.S. 40 x 20	3,350			6.28	21	BS 970 080A15		
Bright M.S. 40 x 25	3,350			7.85	26	BS 970 080A15		
Bright M.S. 50 x 5	3,350			1.96	7	BS 970 080A15		
Bright M.S. 50 x 6	3,350			2.36	8	BS 970 080A15		
Bright M.S. 50 x 8	3,350			3.14	10.5	BS 970 080A15		
Bright M.S. 50 x 10	3,350			3.93	14	BS 970 080A15		
Bright M.S. 50 x 12	3,350			4.71	16	BS 970 080A15		
Bright M.S. 50 x 16	3,350			6.28	21	BS 970 080A15		
Bright M.S. 50 x 20	3,350			7.85	27	BS 970 080A15		
Bright M.S. 50 x 25	3,350			9.81	33	BS 970 080A15		
Bright M.S. 50 x 30	3,350			11.78	40	BS 970 080A15		
Bright M.S. 50 x 40	3,350			15.66	52.5	BS 970 080A15		
Bright M.S. 60 x 5	3,350			2.34	8	BS 970 080A15		
Bright M.S. 60 x 6	3,350			2.83	9.5	BS 970 080A15		
Bright M.S. 60 x 10	3,350			4.71	16	BS 970 080A15		
Bright M.S. 60 x 12	3,350			5.65	19	BS 970 080A15		
Bright M.S. 60 x 16	3,350			7.54	25	BS 970 080A15		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Bright M.S. 60 x 20	3,350			9.4	32	BS 970 080A15		
Bright M.S. 60 x 25	3,350			11.8	40	BS 970 080A15		
Bright M.S. 60 x 30	3,350			14.09	47.5	BS 970 080A15		
Bright M.S. 65 x 10	3,350			5.08	17	BS 970 080A15		
Bright M.S. 65 x 12	3,350			6.1	20.5	BS 970 080A15		
Bright M.S. 65 x 25	3,350			12.72	42.5	BS 970 080A15		
Bright M.S. 70 x 6	3,350			3.3	11	BS 970 080A15		
Bright M.S. 70 x 12	3,350			6.59	22	BS 970 080A15		
Bright M.S. 70 x 16	3,350			8.77	30	BS 970 080A15		
Bright M.S. 70 x 20	3,350			10.97	37	BS 970 080A15		
Bright M.S. 70 x 25	3,350			13.71	46	BS 970 080A15		
Bright M.S. 75 x 12	3,350			7.06	24	BS 970 080A15		
Bright M.S. 75 x 20	3,350			11.77	39.5	BS 970 080A15		
Bright M.S. 75 x 25	3,350			14.71	49	BS 970 080A15		
Bright M.S. 80 x 10	3,350			6.28	21	BS 970 080A15		
Bright M.S. 80 x 12	3,350			7.54	25	BS 970 080A15		
Bright M.S. 90 x 6	3,350			4.24	15	BS 970 080A15		
Bright M.S. 90 x 12	3,350			8.48	29	BS 970 080A15		
Bright M.S. 90 x 25	3,350			17.7	60	BS 970 080A15		
Bright M.S. 90 x 30	3,350			21.19	71	BS 970 080A15		
Bright M.S. 100 x 6	3,350			4.71	16	BS 970 080A15		
Bright M.S. 100 x 10	3,350			7.85	27	BS 970 080A15		
Bright M.S. 100 x 12	3,350			9.42	32	BS 970 080A15		
Bright M.S. 100 x 16	3,350			12.6	43	BS 970 080A15		
Bright M.S. 100 x 20	3,350			15.7	53	BS 970 080A15		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Bright M.S. 100 x 25	3,350			19.6	66	BS 970 080A15		
Bright M.S. 125 x 6	3,350			5.88	20	BS 970 080A15		
Bright M.S. 1/4 x 1/8	3,350			0.16	0.55	BS 970 080A15		
Bright M.S. 1/4 x 3/16	3,350			0.24	0.81	BS 970 080A15		
Bright M.S. 7/16 x 3/16	3,350			0.42	1.4	BS 970 080A15		
Bright M.S. 1/2 x 1/8	3,350			0.32	1	BS 970 080A15		
Bright M.S. 1/2 x 3/16	3,350			0.48	1.6	BS 970 080A15		
Bright M.S. 3/4 x 1/8	3,350			0.48	2	BS 970 080A15		
Bright M.S. 3/4 x 3/16	3,350			0.71	2.5	BS 970 080A15		
Bright M.S. 3/4 x 1/4	3,350			0.95	3.5	BS 970 080A15		
Bright M.S. 3/4 x 1/2	3,350			1.9	7	BS 970 080A15		
Bright M.S. 1 x 1/8	3,350			0.63	2.2	BS 970 080A15		
Bright M.S. 1 x 3/16	3,350			0.95	3.5	BS 970 080A15		
Bright M.S. 1 x 1/4	3,350			1.27	4.5	BS 970 080A15		
Bright M.S. 1 x 3/8	3,350			1.9	6.5	BS 970 080A15		
Bright M.S. 1 x 1/2	3,350			2.53	8.5	BS 970 080A15		
Bright M.S. 1 x 3/4	3,400			3.8	13	BS 970 080A15		
Bright M.S. 1 1/8 x 1/4	3,350			1.43	5	BS 970 080A15		
Bright M.S. 1 1/4 x 1/8	3,350			0.79	3	BS 970 080A15		
Bright M.S. 1 1/4 x 1/4	3,350			1.58	5.5	BS 970 080A15		
Bright M.S. 1 1/4 x 5/16	3,350			1.98	7	BS 970 080A15		
Bright M.S. 1 1/4 x 3/8	3,350			2.37	8.5	BS 970 080A15		
Bright M.S. 1 1/4 x 5/8	3,350			3.96	13	BS 970 080A15		
Bright M.S. 1 1/4 x 1	3,400			6.32	21	BS 970 080A15		
Bright M.S. 1 1/2 x 3/16	3,350			1.42	5	BS 970 080A15		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Bright M.S. 1 1/2 x 1/4	3,350			1.9	7	BS 970 080A15		
Bright M.S. 1 1/2 x 1/2	3,350			3.8	13	BS 970 080A15		
Bright M.S. 1 1/2 x 3/4	3,350			5.7	19	BS 970 080A15		
Bright M.S. 1 1/2 x 1	3,350			7.6	26	BS 970 080A15		
Bright M.S. 1 1/2 x 1 1/4	3,350			9.5	32	BS 970 080A15		
Bright M.S. 1 3/4 x 1/4	3,350			2.22	7.5	BS 970 080A15		
Bright M.S. 1 3/4 x 3/8	3,350			3.32	11	BS 970 080A15		
Bright M.S. 1 3/4 x 1/2	3,350			4.43	15	BS 970 080A15		
Bright M.S. 2 x 3/16	3,350			1.9	7	BS 970 080A15		
Bright M.S. 2 x 1/4	3,350			2.53	9	BS 970 080A15		
Bright M.S. 2 x 5/16	3,350			3.17	11	BS 970 080A15		
Bright M.S. 2 x 1/2	3,350			5.06	17	BS 970 080A15		
Bright M.S. 2 x 5/8	3,350			6.33	21	BS 970 080A15		
Bright M.S. 2 x 3/4	3,350			7.59	26	BS 970 080A15		
Bright M.S. 2 x 1	3,350			10.13	34	BS 970 080A15		
Bright M.S. 2 1/4 x 3/8	3,350			4.27	14	BS 970 080A15		
Bright M.S. 2 1/4 x 1/2	3,350			5.7	19	BS 970 080A15		
Bright M.S. 2 1/4 x 1	3,350			11.38	38	BS 970 080A15		
Bright M.S. 2 1/2 x 1/4	3,350			3.17	11	BS 970 080A15		
Bright M.S. 2 1/2 x 1/2	3,350			6.33	22	BS 970 080A15		
Bright M.S. 2 1/2 x 1 1/2	3,350			18.98	64	BS 970 080A15		
Bright M.S. 3 x 1/4	3,350			3.8	13	BS 970 080A15		
Bright M.S. 3 x 1/2	3,350			7.6	26	BS 970 080A15		
Bright M.S. 3 x 3/4	3,350			11.39	38	BS 970 080A15		
Bright M.S. 3 x 1	3,350			15.19	51	BS 970 080A15		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Bright M.S. 3 x 1 1/2	3,350			22.77	76	BS 970 080A15		
Bright M.S. 3 1/2 x 3/8	3,350			6.64	22	BS 970 080A15		
Bright M.S. 4 x 1/4	3,350			5.06	17	BS 970 080A15		
Bright M.S. 4 x 3/8	3,350			7.59	26	BS 970 080A15		
Bright M.S. 4 x 1/2	3,350			10.13	34	BS 970 080A15		
Bright M.S. 4 x 5/8	3,400			12.65	43	BS 970 080A15		
Bright M.S. 4 x 3/4	3,350			15.18	51	BS 970 080A15		
Bright M.S. 4 x 1	3,350			20.24	68	BS 970 080A15		
Bright M.S. 4 x 1 1/2	3,350			30.36	102	BS 970 080A15		
Bright M.S. 4 x 2	3,350			40.48	135	BS 970 080A15		
Bright M.S. 5 x 1/4	3,350			6.34	22	BS 970 080A15		
Bright M.S. 5 x 1/2	3,350			12.68	43	BS 970 080A15		
Bright M.S. 5 x 3/4	3,350			19.02	64	BS 970 080A15		
Bright M.S. 5 x 2	3,350			50.6	169	BS 970 080A15		
Bright M.S. 6 x 3/8	3,350			11.39	38	BS 970 080A15		
Bright M.S. 6 x 1/2	3,350			15.18	51	BS 970 080A15		
Bright M.S. 6 x 3/4	3,350			22.8	77	BS 970 080A15		
Bright M.S. 6 x 1	3,350			30.36	102	BS 970 080A15		
Bright M.S. 6 x 1 1/2	3,350			45.54	153	BS 970 080A15		
Bright M.S. 6 x 2	3,350			60.72	203	BS 970 080A15		
Bright M.S. 6 x 5	3,350			151.8	508	BS 970 080A15		
Bright M.S. 8 x 1/2	3,350			20.2	68	BS 970 080A15		
Bright M.S. 10 x 1/4	3,350			12.65	43	BS 970 080A15		
Bright FC Hexagon 0.445 A/F	3,350			0.88	3	BS 970 230M07		
Bright FC Hexagon 0.525 A/F	3,350			1.2	4	BS 970 230M07		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Bright FC Leaded 10 mm dia	3,350			0.62	2	BS 970 230M07Pb		
Bright FC Leaded 20 mm dia	3,350			2.47	8.5	BS 970 230M07Pb		
Bright FC Leaded 30 mm dia	3,350			5.55	19	BS 970 230M07Pb		
Bright FC Leaded 3/8 dia	3,350			0.56	2	BS 970 230M07Pb		
Bright FC Leaded 1/2 dia	3,350			0.99	3.5	BS 970 230M07Pb		
Bright FC Leaded 3/4 dia	3,350			2.24	7.5	BS 970 230M07Pb		
Bright FC Leaded 7/8 dia	3,350			3.05	10	BS 970 230M07Pb		
Bright FC Leaded 1 in dia	3,350			3.98	14	BS 970 230M07Pb		
Bright FC Leaded 1 3/8 dia	3,350			7.52	25	BS 970 230M07Pb		
Bright FC Leaded 1 1/2 dia	3,350			8.95	30	BS 970 230M07Pb		
Bright FC Leaded 1 5/8 dia	3,350			10.51	35	BS 970 230M07Pb		
Bright FC Leaded 1 3/4 dia	3,350			12.18	41	BS 970 230M07Pb		
Bright FC Leaded Hex 0.820 A/F	3,350			2.95	10	BS 970 230M07Pb		
Bright FC Leaded Hex 2.05 A/F	3,350			18.38	62	BS 970 230M07Pb		
Bright M.S. 6 mm dia	3,350			0.22	0.8	BS970 080A15/070M20		
Bright M.S. 8 mm dia	3,350			0.4	1.3	BS970 080A15/070M20		
Bright M.S. 10 mm dia	3,350			0.62	2.1	BS970 080A15/070M20		
Bright M.S. 12 mm dia	3,350			0.89	3	BS970 080A15/070M20		
Bright M.S. 16 mm dia	3,350			1.58	5.5	BS970 080A15/070M20		
Bright M.S. 20 mm dia	3,350			2.47	8.5	BS970 080A15/070M20		
Bright M.S. 20 mm dia	6,400			2.47	16	BS970 080A15/070M20		
Bright M.S. 25 mm dia	3,350			3.85	13	BS970 080A15/070M20		
Bright M.S. 25 mm dia	6,400			3.85	25	BS970 080A15/070M20		
Bright M.S. 30 mm dia	3,350			5.55	19	BS970 080A15/070M20		
Bright M.S. 30 mm dia	6,000			5.55	37	BS970 080A15/070M20		



Contact our Sales Team

T:01422 833993 F:01422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Bright M.S. 35 mm dia	3,350			7.55	25	BS970 080A15/070M20		
Bright M.S. 40 mm dia	3,350			9.86	33	BS970 080A15/070M20		
Bright M.S. 45 mm dia	3,350			12.5	42	BS970 080A15/070M20		
Bright M.S. 50 mm dia	3,350			15.4	52	BS970 080A15/070M20		
Bright M.S. 55 mm dia	3,350			18.7	63	BS970 080A15/070M20		
Bright M.S. 60 mm dia	3,350			22.2	75	BS970 080A15/070M20		
Bright M.S. 65 mm dia	3,350			26	88	BS970 080A15/070M20		
Bright M.S. 70 mm dia	3,350			30.2	102	BS970 080A15/070M20		
Bright M.S. 75 mm dia	3,350			34.7	117	BS970 080A15/070M20		
Bright M.S. 80 mm dia	3,350			39.5	133	BS970 080A15/070M20		
Bright M.S. 90 mm dia	3,350			49.9	168	BS970 080A15/070M20		
Bright M.S. 100 mm dia	3,350			61.7	208	BS970 080A15/070M20		
Bright M.S. 1/8 dia	3,350			0.06	0.2	BS970 080A15/070M20		
Bright M.S. 3/16 dia	3,350			0.14	0.5	BS970 080A15/070M20		
Bright M.S. 1/4 dia	3,350			0.25	0.8	BS970 080A15/070M20		
Bright M.S. 5/16 dia	3,350			0.39	1.5	BS970 080A15/070M20		
Bright M.S. 3/8 dia	3,350			0.56	2	BS970 080A15/070M20		
Bright M.S. 7/16 dia	3,350			0.76	2.5	BS970 080A15/070M20		
Bright M.S. 1/2 dia	3,350			0.99	2.5	BS970 080A15/070M20		
Bright M.S. 5/8 dia	3,350			1.55	5.5	BS970 080A15/070M20		
Bright M.S. 11/16 dia	3,350			1.88	6.5	BS970 080A15/070M20		
Bright M.S. 3/4 dia	6,450			2.24	15	BS970 080A15/070M20		
Bright M.S. 3/4 dia	3,350			2.24	7.5	BS970 080A15/070M20		
Bright M.S. 7/8 dia	3,350			3.05	11	BS970 080A15/070M20		
Bright M.S. 1 in dia	3,350			3.98	14	BS970 080A15/070M20		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Bright M.S. 1 in dia	6,400			3.98	26	BS970 080A15/070M20		
Bright M.S. 1 1/8 dia	3,350			5.04	17	BS970 080A15/070M20		
Bright M.S. 1 3/16 dia	3,350			5.61	19	BS970 080A15/070M20		
Bright M.S. 1 1/4 dia	3,350			6.22	21	BS970 080A15/070M20		
Bright M.S. 1 1/4 dia	6,400			6.22	40	BS970 080A15/070M20		
Bright M.S. 1 5/16 dia	3,350			6.85	23	BS970 080A15/070M20		
Bright M.S. 1 3/8 dia	3,350			7.52	25	BS970 080A15/070M20		
Bright M.S. 1 1/2 dia	3,350			8.95	30	BS970 080A15/070M20		
Bright M.S. 1 1/2 dia	6,400			8.95	58	BS970 080A15/070M20		
Bright M.S. 1 5/8 dia	3,350			10.51	36	BS970 080A15/070M20		
Bright M.S. 1 3/4 dia	3,350			12.18	41	BS970 080A15/070M20		
Bright M.S. 1 3/4 dia	6,400			12.18	78	BS970 080A15/070M20		
Bright M.S. 2 in dia	3,350			15.91	54	BS970 080A15/070M20		
Bright M.S. 2 in dia	6,400			15.91	102	BS970 080A15/070M20		
Bright M.S. 2 1/8 dia	3,350			17.96	61	BS970 080A15/070M20		
Bright M.S. 2 3/8 dia	3,350			22.44	76	BS970 080A15/070M20		
Bright M.S. 2 1/2 dia	3,350			24.86	84	BS970 080A15/070M20		
Bright M.S. 2 3/4 dia	3,350			30.08	112	BS970 080A15/070M20		
Bright M.S. 3 in dia	3,350			35.8	120	BS970 080A15/070M20		
Bright M.S. 3 in dia	6,400			35.8	230	BS970 080A15/070M20		
Bright M.S. 3 1/4 dia	3,350			42.01	142	BS970 080A15/070M20		
Bright M.S. 3 1/2 dia	3,350			48.73	164	BS970 080A15/070M20		
Bright M.S. 4 in dia	3,350			63.64	214	BS970 080A15/070M20		
Bright M.S. 6 1/2 dia	3,350			167.86	563	BS970 080A15/070M20		
Bright M.S. 10 mm square	3,350			0.79	3	BS970 080A15		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Bright M.S. 12 mm square	3,350			1.13	4	BS970 080A15		
Bright M.S. 16 mm square	3,350			2	7	BS970 080A15		
Bright M.S. 20 mm square	3,350			3.14	11	BS970 080A15		
Bright M.S. 25 mm square	3,350			4.91	17	BS970 080A15		
Bright M.S. 30 mm square	3,350			7.07	24	BS970 080A15		
Bright M.S. 32 mm square	3,350			8.03	27	BS970 080A15		
Bright M.S. 35 mm square	3,350			9.61	32	BS970 080A15		
Bright M.S. 40 mm square	3,500			12.6	43	BS970 080A15		
Bright M.S. 50 mm square	3,350			19.6	66	BS970 080A15		
Bright M.S. 60 mm square	3,350			28.3	95	BS970 080A15		
Bright M.S. 65 mm square	3,350			33.16	111	BS970 080A15		
Bright M.S. 70 mm square	3,350			38.46	129	BS970 080A15		
Bright M.S. 75 mm square	3,350			44.2	148	BS970 080A15		
Bright M.S. 80 mm square	3,350			50.24	168	BS970 080A15		
Bright M.S. 3/8 square	3,350			0.71	2.4	BS970 080A15		
Bright M.S. 1/2 square	3,350			1.27	4.3	BS970 080A15		
Bright M.S. 5/8 square	3,350			1.98	6.7	BS970 080A15		
Bright M.S. 3/4 square	3,350			2.85	9.6	BS970 080A15		
Bright M.S. 7/8 square	3,350			3.88	13	BS970 080A15		
Bright M.S. 1 in square	3,350			5.06	17	BS970 080A15		
Bright M.S. 1 1/4 square	3,350			7.91	27	BS970 080A15		
Bright M.S. 1 1/2 square	3,350			11.4	40	BS970 080A15		
Bright M.S. 1 3/4 square	3,350			15.51	52	BS970 080A15		
Bright M.S. 2 in square	3,350			20.26	68	BS970 080A15		
Bright M.S. 2 1/2 square	3,550			31.62	106	BS970 080A15		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Bright M.S. 3 in square	3,350			45.54	153	BS970 080A15		
Bright M.S. 4 in square	3,350			80.94	272	BS970 080A15		
R.S. Channel 40 x 20	6,150			3.3	21	BSEN10025 S275JR		
R.S. Channel 50 x 25	6,150			3.44	22	BSEN10025 S275JR		
R.S. Channel 51 x 38	6,150			5.59	35	BSEN10025 S275JR		
R.S. Channel 76 x 38	6,150			6.7	42	BSEN10025 S275JR		
P.F. Channel 100 x 50	6,150			102	62	BSEN10025 S275JR		
P.F. Channel 100 x 50	12,200			102	124	BSEN10025 S275JR		
P.F. Channel 125 x 65	6,150			14.8	90	BSEN10025 S275JR		
P.F. Channel 125 x 65	12,200			14.8	180	BSEN10025 S275JR		
P.F. Channel 150 x 75	6,150			17.9	108	BSEN10025 S275JR		
P.F. Channel 150 x 75	12,200			17.9	216	BSEN10025 S275JR		
P.F. Channel 150 x 90	12,200			23.9	290	BSEN10025 S275JR		
P.F. Channel 180 x 75	12,200			20.3	245	BSEN10025 S275JR		
P.F. Channel 180 x 90	12,200			26.1	315	BSEN10025 S275JR		
P.F. Channel 200 x 75	12,200			23.4	282	BSEN10025 S275JR		
P.F. Channel 200 x 90	12,200			29.7	360	BSEN10025 S275JR		
P.F. Channel 230 x 75	12,200			25.7	310	BSEN10025 S275JR		
P.F. Channel 230 x 90	12,200			32.2	390	BSEN10025 S275JR		
P.F. Channel 260 x 75	12,200			27.6	335	BSEN10025 S275JR		
P.F. Channel 260 x 90	12,200			34.8	420	BSEN10025 S275JR		
P.F. Channel 300 x 90	12,200			41.4	500	BSEN10025 S275JR		
P.F. Channel 300 x 100	12,200			45.5	550	BSEN10025 S275JR		
CHS 42.4 x 3.0	7,600			3	22.8	S 235	COLDFORM	
CHS 48.3 x 3.0	7,600			3.5	26.6	S 235	COLDFORM	

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
CHS 60.3 X 3.0	7,600			4.5	34.2	S 235	COLDFORM	
CHS 76.1 x 3.0	7,600			5.7	43.32	S 235	COLDFORM	
CHS 88.9 x 3.0	7,600			6.7	50.92	S 235	COLDFORM	
CHS 114.3 x 3.0	7,600			8.23	62.55	S 235	COLDFORM	
CHS 114.3 x 3.5	7,600			9.83	74.7	S 235	COLDFORM	
CHS 139.7 x 5.0	7,600			16.6	126	S 235	COLDFORM	
M.S.Feather Edge Convex 25 x 6	6,150			0.89	5.5	BSEN10025 S275JR		
M.S.Square Edge Convex 38 x 13	6,150			3.17	19.5	BSEN10025 S275JR		
M.S.Square Edge Convex 51 x 13	6,150			4.22	26	BSEN10025 S275JR		
Floor Plate 3 mm o/p Com/Qual	2,500	1,250	3	26.19	86	COMM QUALITY		
Floor Plate 4.5 mm o/p Com/Qua	2,000	1,000	4.5	37.97	78	COMM QUALITY		
Floor Plate 4.5 mm o/p Com/Qua	2,500	1,250	4.5	37.97	122	COMM QUALITY		
Floor Plate 4.5 mm o/p Com/Qua	3,000	1,500	4.5	37.97	171	COMM QUALITY		
Floor Plate 6 mm o/p Com/Qual	2,000	1,000	6	49.74	103	COMM QUALITY		
Floor Plate 6 mm o/p Com/Qual	2,500	1,250	6	49.74	160	COMM QUALITY		
Floor Plate 6 mm o/p Com/Qual	3,000	1,500	6	49.74	231	COMM QUALITY		
Floor Plate 8 mm o/p Com/Qual	2,000	1,000	8	65.44	134	COMM QUALITY		
Floor Plate 8 mm o/p Com/Qual	2,500	1,250	8	65.44	210	COMM QUALITY		
Floor Plate 8 mm o/p Com/Qual	3,000	1,500	8	65.44	302	COMM QUALITY		
Floor Plate 10 mm o/p Com/Qual	2,500	1,250	10	81.14	260	COMM QUALITY		
ERW Tube 60 x 30 x 1.5mm	6,100			2.1	12.81	BS 6323 ERW 1KM		
ERW Tube 1/2 o/d x 16 gauge	6,100			0.15	0.9	BS 6323 ERW 1KM		
ERW Tube 5/8 o/d x 16 gauge	6,100			0.52	3.2	BS 6323 ERW 1KM		
ERW Tube 3/4 o/d x 14 gauge	6,100			0.585	5	BS 6323 ERW 1KM		
ERW Tube 3/4 o/d x 16 gauge	6,100			0.69	4.5	BS 6323 ERW 1KM		

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
ERW Tube 3/4 o/d x 18 gauge	6,100			0.53	3.26	BS 6323 ERW 1KM		
ERW Tube 7/8 o/d x 16 gauge	6,100			0.75	4.57	BS 6323 ERW 1KM		
ERW Tube 1 o/d x 14 gauge	6,100			1.17	7.5	BS 6323 ERW 1KM		
ERW Tube 1 o/d x 16 gauge	6,100			0.94	6	BS 6323 ERW 1KM		
ERW Tube 1 o/d x 18 gauge	6,100			0.72	4.42	BS 6323 ERW 1KM		
ERW Tube 1 1/4 o/d x 10 gauge	6,100			2.28	14	BS 6323 ERW 1KM		
ERW Tube 1 1/4 o/d x 14 gauge	6,100			1.49	9.08	BS 6323 ERW 1KM		
ERW Tube 1 1/4 o/d x 16 gauge	6,100			1.21	7.5	BS 6323 ERW 1KM		
ERW Tube 1 1/4 o/d x 18 gauge	6,100			0.92	6	BS 6323 ERW 1KM		
ERW Tube 1 3/8 o/d x 16 gauge	6,100			1.24	7.54	BS 6323 ERW 1KM		
ERW Tube 1 1/2 o/d x 12 gauge	6,100			2.31	14	BS 6323 ERW 1KM		
ERW Tube 1 1/2 o/d x 16 gauge	6,100			1.35	8.26	BS 6323 ERW 1KM		
ERW Tube 2" o/d x 10 gauge	6,100			3.8	23.24	BS 6323 ERW 1KM		
ERW Tube 2" o/d x 16 gauge	6,100			1.82	11.13	BS 6323 ERW 1KM		
ERW Tube 2 1/2 o/d x 10 gauge	4,100			4.83	19.8	BS 6323 ERW 1KM		
ERW Tube 2 1/2 o/d x 10 gauge	6,100			4.83	30	BS 6323 ERW 1KM		
ERW Tube 3 o/d x 16 gauge	6,100			2.77	16.9	BS 6323 ERW 1KM		
ERW Tube 4 o/d x 16 gauge	6,100			4.02	25	BS 6323 ERW 1KM		
ERW Tube 5 o/d x 14 gauge	6,100			6.26	39	BS 6323 ERW 1KM		
ERW Tube 6 o/d x 12 gauge	6,100			8.6	53	BS 6323 ERW 1KM		
ERW Tube 5/8 x 5/8 x 16 gauge	6,100			0.74	0.45	BS 6323 ERW 1KM		
ERW Tube 3/4 x 3/4 x 16 gauge	6,100			0.91	7	BS 6323 ERW 1KM		
ERW Tube 3/4 x 3/4 x 18 gauge	6,100			0.69	4.21	BS 6323 ERW 1KM		
ERW Tube 1 x 1 x 14 gauge	6,100			1.52	9.27	BS 6323 ERW 1KM		
ERW Tube 1 x 1 x 16 gauge	6,100			1.23	7.5	BS 6323 ERW 1KM		

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
ERW Tube 1 x 1 x 18 gauge	6,100			0.94	5.7	BS 6323 ERW 1KM		
ERW Tube 1 1/4 x 1 1/4 x 16 g	6,100			1.56	9.51	BS 6323 ERW 1KM		
ERW Tube 1 1/2 x 3/4 x 16 gaug	6,100			1.34	8.17	BS 6323 ERW 1KM		
ERW Tube 1 1/2 x 1 1/2 x 14 g	6,100			2.32	14.15	BS 6323 ERW 1KM		
ERW Tube 1 1/2 x 1 1/2 x 16 g	6,100			1.88	11.47	BS 6323 ERW 1KM		
ERW Tube 1 1/2 x 1 1/2 x 18 g	6,100			1.42	8.66	BS 6323 ERW 1KM		
ERW Tube 2 x 1 x 16 gauge	6,100			1.81	11.04	BS 6323 ERW 1KM		
ERW Tube 2 x 1 x 18 gauge	6,100			1.37	8.35	BS 6323 ERW 1KM		
ERW Tube 2 x 2 x 16 gauge	6,100			2.53	15.4	BS 6323 ERW 1KM		
Black M.S. 13 x 3	4,150			0.31	1.3	BSEN10025 S275JR		
Black M.S. 13 x 3	6,150			0.31	1.9	BSEN10025 S275JR		
Black M.S. 13 x 5	4,150			0.51	2	BSEN10025 S275JR		
Black M.S. 13 x 6	4,150			0.61	2.5	BSEN10025 S275JR		
Black M.S. 16 x 3	4,150			0.38	1.5	BSEN10025 S275JR		
Black M.S. 16 x 3	6,150			0.38	2.33	BSEN10025 S275JR		
Black M.S. 16 x 5	4,150			0.63	2.5	BSEN10025 S275JR		
Black M.S. 16 x 5	6,150			0.63	3.87	BSEN10025 S275JR		
Black M.S. 16 x 6	4,150			0.76	3.2	BSEN10025 S275JR		
Black M.S. 20 x 3	4,150			0.47	2	BSEN10025 S275JR		
Black M.S. 20 x 3	6,150			0.47	3	BSEN10025 S275JR		
Black M.S. 20 x 5	4,150			0.79	3.5	BSEN10025 S275JR		
Black M.S. 20 x 5	6,300			0.79	5	BSEN10025 S275JR		
Black M.S. 20 x 6	4,150			0.94	4	BSEN10025 S275JR		
Black M.S. 20 x 6	6,150			0.94	6	BSEN10025 S275JR		
Black M.S. 20 x 8	6,150			1.26	8	BSEN10025 S275JR		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Black M.S. 20 x 10	6,150			1.57	10	BSEN10025 S275JR		
Black M.S. 20 x 12	6,150			1.88	12	BSEN10025 S275JR		
Black M.S. 25 x 3	4,150			0.59	2.5	BSEN10025 S275JR		
Black M.S. 25 x 3	6,150			0.59	3.62	BSEN10025 S275JR		
Black M.S. 25 x 5	6,150			0.98	6	BSEN10025 S275JR		
Black M.S. 25 x 6	6,150			1.18	7.5	BSEN10025 S275JR		
Black M.S. 25 x 8	6,150			1.57	10	BSEN10025 S275JR		
Black M.S. 25 x 10	6,150			1.96	12	BSEN10025 S275JR		
Black M.S. 25 x 12	6,150			2.36	15	BSEN10025 S275JR		
Black M.S. 25 x 15	6,150			2.94	18	BSEN10025 S275JR		
Black M.S. 30 x 3	4,150			0.71	3	BSEN10025 S275JR		
Black M.S. 30 x 3	6,150			0.71	4.36	BSEN10025 S275JR		
Black M.S. 30 x 5	6,150			1.18	7.5	BSEN10025 S275JR		
Black M.S. 30 x 6	6,150			1.41	9	BSEN10025 S275JR		
Black M.S. 30 x 8	6,150			1.88	12	BSEN10025 S275JR		
Black M.S. 30 x 10	6,150			2.36	15	BSEN10025 S275JR		
Black M.S. 30 x 12	6,150			2.83	18	BSEN10025 S275JR		
Black M.S. 30 x 15	6,150			3.53	22	BSEN10025 S275JR		
Black M.S. 40 x 3	4,150			0.94	4	BSEN10025 S275JR		
Black M.S. 40 x 3	6,150			0.94	5.78	BSEN10025 S275JR		
Black M.S. 40 x 5	6,150			1.57	10	BSEN10025 S275JR		
Black M.S. 40 x 6	6,150			1.88	12	BSEN10025 S275JR		
Black M.S. 40 x 8	6,150			2.51	16	BSEN10025 S275JR		
Black M.S. 40 x 10	6,150			3.14	20	BSEN10025 S275JR		
Black M.S. 40 x 12	6,150			3.77	24	BSEN10025 S275JR		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Black M.S. 40 x 15	6,150			4.71	29	BSEN10025 S275JR		
Black M.S. 40 x 20	6,150			6.28	39	BSEN10025 S275JR		
Black M.S. 40 x 25	6,150			7.85	49	BSEN10025 S275JR		
Black M.S. 45 x 5	6,150			1.77	11	BSEN10025 S275JR		
Black M.S. 50 x 3	4,150			1.18	5	BSEN10025 S275JR		
Black M.S. 50 x 3	6,150			1.18	7.25	BSEN10025 S275JR		
Black M.S. 50 x 5	6,150			1.96	12	BSEN10025 S275JR		
Black M.S. 50 x 6	6,150			2.36	15	BSEN10025 S275JR		
Black M.S. 50 x 8	6,150			3.14	20	BSEN10025 S275JR		
Black M.S. 50 x 10	6,150			3.93	24	BSEN10025 S275JR		
Black M.S. 50 x 12	6,150			4.71	29	BSEN10025 S275JR		
Black M.S. 50 x 15	6,150			5.89	36	BSEN10025 S275JR		
Black M.S. 50 x 20	6,150			7.85	49	BSEN10025 S275JR		
Black M.S. 50 x 25	6,150			9.81	61	BSEN10025 S275JR		
Black M.S. 60 x 5	6,150			2.36	15	BSEN10025 S275JR		
Black M.S. 60 x 6	6,150			2.83	18	BSEN10025 S275JR		
Black M.S. 60 x 8	6,150			3.77	24	BSEN10025 S275JR		
Black M.S. 60 x 10	6,150			4.71	29	BSEN10025 S275JR		
Black M.S. 60 x 12	6,150			5.65	35	BSEN10025 S275JR		
Black M.S. 60 x 15	6,150			7.07	44	BSEN10025 S275JR		
Black M.S. 60 x 20	6,150			9.42	58	BSEN10025 S275JR		
Black M.S. 60 x 25	6,150			11.8	73	BSEN10025 S275JR		
Black M.S. 65 x 6	6,150			3.06	19	BSEN10025 S275JR		
Black M.S. 65 x 8	6,150			4.08	26	BSEN10025 S275JR		
Black M.S. 65 x 10	6,150			5.1	32	BSEN10025 S275JR		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Black M.S. 65 x 12	6,150			6.12	38	BSEN10025 S275JR		
Black M.S. 65 x 15	6,150			7.65	47	BSEN10025 S275JR		
Black M.S. 65 x 20	6,150			10.2	63	BSEN10025 S275JR		
Black M.S. 65 x 25	6,150			12.8	80	BSEN10025 S275JR		
Black M.S. 65 x 30	6,150			15.3	94	BSEN10025 S275JR		
Black M.S. 70 x 6	6,150			3.3	21	BSEN10025 S275JR		
Black M.S. 70 x 10	6,150			5.5	34	BSEN10025 S275JR		
Black M.S. 70 x 12	6,150			6.59	41	BSEN10025 S275JR		
Black M.S. 70 x 20	6,150			10.99	68	BSEN10025 S275JR		
Black M.S. 75 x 3	4,150			1.76	7	BSEN10025 S275JR		
Black M.S. 75 x 5	6,150			2.94	18	BSEN10025 S275JR		
Black M.S. 75 x 6	6,150			3.52	22	BSEN10025 S275JR		
Black M.S. 75 x 8	6,150			4.7	29	BSEN10025 S275JR		
Black M.S. 75 x 10	6,150			5.87	36	BSEN10025 S275JR		
Black M.S. 75 x 12	6,150			7.05	44	BSEN10025 S275JR		
Black M.S. 75 x 15	6,150			8.81	55	BSEN10025 S275JR		
Black M.S. 75 x 20	6,150			11.75	73	BSEN10025 S275JR		
Black M.S. 75 x 25	6,150			14.68	91	BSEN10025 S275JR		
Black M.S. 80 x 5	6,150			3.29	20.25	BSEN10025 S275JR		
Black M.S. 80 x 6	6,150			3.77	24	BSEN10025 S275JR		
Black M.S. 80 x 10	6,150			6.28	39	BSEN10025 S275JR		
Black M.S. 80 x 12	6,150			7.54	47	BSEN10025 S275JR		
Black M.S. 80 x 15	6,150			9.42	58	BSEN10025 S275JR		
Black M.S. 80 x 20	6,150			12.56	78	BSEN10025 S275JR		
Black M.S. 80 x 25	6,150			15.7	97	BSEN10025 S275JR		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Black M.S. 90 x 6	6,150			4.24	26	BSEN10025 S275JR		
Black M.S. 90 x 8	6,150			5.65	35	BSEN10025 S275JR		
Black M.S. 90 x 10	6,150			7.06	44	BSEN10025 S275JR		
Black M.S. 90 x 12	6,150			8.48	53	BSEN10025 S275JR		
Black M.S. 90 x 15	6,150			10.6	65	BSEN10025 S275JR		
Black M.S. 90 x 20	6,150			14.1	87	BSEN10025 S275JR		
Black M.S. 90 x 25	6,150			17.7	109	BSEN10025 S275JR		
Black M.S. 100 x 3	4,150			2.35	10	BSEN10025 S275JR		
Black M.S. 100 x 5	6,150			3.5	21.5	BSEN10025 S275JR		
Black M.S. 100 x 6	6,150			4.71	29	BSEN10025 S275JR		
Black M.S. 100 x 8	6,150			6.28	39	BSEN10025 S275JR		
Black M.S. 100 x 10	6,150			7.85	49	BSEN10025 S275JR		
Black M.S. 100 x 12	6,150			9.42	58	BSEN10025 S275JR		
Black M.S. 100 x 15	6,150			11.8	73	BSEN10025 S275JR		
Black M.S. 100 x 20	6,150			15.7	97	BSEN10025 S275JR		
Black M.S. 100 x 25	6,150			19.6	121	BSEN10025 S275JR		
Black M.S. 100 x 45	6,150			35.3	217	BSEN10025 S275JR		
Black M.S. 100 x 50	6,150			39.2	241	BSEN10025 S275JR		
Black M.S. 120 x 6	6,150			5.65	35	BSEN10025 S275JR		
Black M.S. 120 x 10	6,150			9.42	58	BSEN10025 S275JR		
Black M.S. 120 x 12	6,150			11.3	70	BSEN10025 S275JR		
Black M.S. 130 x 3	4,150			3.06	13	BSEN10025 S275JR		
Black M.S. 130 x 6	6,150			6.12	38	BSEN10025 S275JR		
Black M.S. 130 x 8	6,150			8.16	51	BSEN10025 S275JR		
Black M.S. 130 x 10	6,150			10.2	63	BSEN10025 S275JR		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Black M.S. 130 x 12	6,150			12.2	75	BSEN10025 S275JR		
Black M.S. 130 x 15	6,150			15.3	94	BSEN10025 S275JR		
Black M.S. 130 x 20	6,150			20.4	126	BSEN10025 S275JR		
Black M.S. 130 x 25	6,150			25.5	157	BSEN10025 S275JR		
Black M.S. 150 x 6	6,150			7.07	44	BSEN10025 S275JR		
Black M.S. 150 x 8	6,150			9.42	58	BSEN10025 S275JR		
Black M.S. 150 x 10	6,150			11.8	73	BSEN10025 S275JR		
Black M.S. 150 x 12	6,150			14.1	87	BSEN10025 S275JR		
Black M.S. 150 x 15	6,150			17.7	109	BSEN10025 S275JR		
Black M.S. 150 x 20	6,150			23.6	145	BSEN10025 S275JR		
Black M.S. 150 x 25	6,150			29.4	181	BSEN10025 S275JR		
Black M.S. 180 x 6	6,150			8.48	52	BSEN10025 S275JR		
Black M.S. 180 x 10	6,150			14.1	87	BSEN10025 S275JR		
Black M.S. 180 x 12	6,150			17	105	BSEN10025 S275JR		
Black M.S. 180 x 15	6,150			21.2	131	BSEN10025 S275JR		
Black M.S. 180 x 20	6,150			28.3	174	BSEN10025 S275JR		
Black M.S. 180 x 25	6,150			35.3	217	BSEN10025 S275JR		
Black M.S. 200 x 6	6,150			9.42	58	BSEN10025 S275JR		
Black M.S. 200 x 10	6,150			15.7	97	BSEN10025 S275JR		
Black M.S. 200 x 12	6,150			18.8	116	BSEN10025 S275JR		
Black M.S. 200 x 15	6,150			23.6	145	BSEN10025 S275JR		
Black M.S. 200 x 20	6,150			31.4	193	BSEN10025 S275JR		
Black M.S. 200 x 25	6,150			39.2	241	BSEN10025 S275JR		
Black M.S. 250 x 6	6,150			11.8	73	BSEN10025 S275JR		
Black M.S. 250 x 10	6,150			19.6	121	BSEN10025 S275JR		



Contact our Sales Team

T:01422 833993 F:01422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Black M.S. 250 x 12	6,150			23.6	145	BSEN10025 S275JR		
Black M.S. 250 x 20	6,150			39.2	242	BSEN10025 S275JR		
Black M.S. 250 x 25	6,150			49.1	302	BSEN10025 S275JR		
Black M.S. 300 x 6	6,150			14.15	87	BSEN10025 S275JR		
Black M.S. 300 x 10	6,150			23.6	145	BSEN10025 S275JR		
Black M.S. 300 x 12	6,150			28.3	174	BSEN10025 S275JR		
Black M.S. 300 x 15	6,150			35.3	217	BSEN10025 S275JR		
Black M.S. 300 x 20	6,150			47	289	BSEN10025 S275JR		
Black M.S. 350 x 15	6,150			41.2	254	BSEN10025 S275JR		
Galvanised Sheet 0.7 mm thick	2,000	1,000	0.7	5.5	12	BS2989 Z2 Galvanised		
Galvanised Sheet 0.7 mm thick	2,500	1,250	0.7	5.5	18	BS2989 Z2 Galvanised		
Galvanised Sheet 0.8 mm thick	2,000	1,000	0.8	6.28	13	BS2989 Z2 Galvanised		
Galvanised Sheet 0.8 mm thick	2,500	1,250	0.8	6.28	20	BS2989 Z2 Galvanised		
Galvanised Sheet 0.9 mm thick	2,000	1,000	0.9	7.35	15	BS2989 Z2 Galvanised		
Galvanised Sheet 0.9 mm thick	2,500	1,250	0.9	7.35	23	BS2989 Z2 Galvanised		
Galvanised Sheet 1.0 mm thick	2,000	1,000	1	7.85	17	BS2989 Z2 Galvanised		
Galvanised Sheet 1.0 mm thick	2,500	1,250	1	7.85	25	BS2989 Z2 Galvanised		
Galvanised Sheet 1.0 mm thick	3,000	1,500	1	7.85	35	BS2989 Z2 Galvanised		
Galvanised Sheet 1.2 mm thick	2,000	1,000	1.2	9.42	20	BS2989 Z2 Galvanised		
Galvanised Sheet 1.2 mm thick	2,500	1,250	1.2	9.42	31	BS2989 Z2 Galvanised		
Galvanised Sheet 1.2 mm thick	3,000	1,500	1.2	9.42	42	BS2989 Z2 Galvanised		
Galvanised Sheet 1.5 mm thick	2,000	1,000	1.5	11.78	24	BS2989 Z2 Galvanised		
Galvanised Sheet 1.5 mm thick	2,500	1,250	1.5	11.78	37	BS2989 Z2 Galvanised		
Galvanised Sheet 1.5 mm thick	3,000	1,500	1.5	11.78	53	BS2989 Z2 Galvanised		
Galvanised Sheet 2.0 mm thick	2,000	1,000	2	15.7	32	BS2989 Z2 Galvanised		

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Galvanised Sheet 2.0 mm thick	2,500	1,250	2	15.7	49	BS2989 Z2 Galvanised		
Galvanised Sheet 2.0 mm thick	3,000	1,500	2	15.7	71	BS2989 Z2 Galvanised		
Galvanised Sheet 2.5 mm thick	2,500	1,250	2.5	19.63	61	BS2989 Z2 Galvanised		
Galvanised Sheet 3.0 mm thick	2,000	1,000	3	23.6	47	BS2989 Z2 Galvanised		
Galvanised Sheet 3.0 mm thick	2,500	1,250	3	23.6	76	BS2989 Z2 Galvanised		
Perf Sheet 0.7 mm thick 3h/5p	2,500	1,250	0.7	4.37	13.66	MILD STEEL	GALV	
Perf Sheet 1.5 mm thick 3h/5p	2,500	1,250	1.5	8	25	MILD STEEL		
Piano Hinge 1 1/4 Open x 16 g	1,829				1	MILD STEEL		
Piano Hinge 1 1/2 Open x 16 g	1,829				1.4	MILD STEEL		
Piano Hinge 2 Open x 16 g Mild	1,829				1.7	MILD STEEL		
M.S. Plate 3 mm thick	2,000	1,000	3	23.6	48	BSEN10025 S275JR		
M.S. Plate 3 mm thick	2,500	1,250	3	23.6	76	BSEN10025 S275JR		
M.S. Plate 3 mm thick	3,000	1,500	3	23.6	109	BSEN10025 S275JR		
M.S. Plate 3 mm thick	4,000	2,000	3	23.6	189	BSEN10025 S275JR		
M.S. Plate 4 mm thick	2,000	1,000	4	31.4	63	BSEN10025 S275JR		
M.S. Plate 4 mm thick	2,500	1,250	4	31.4	99	BSEN10025 S275JR		
M.S. Plate 4 mm thick	4,000	2,000	4	31.4	251	BSEN10025 S275JR		
M.S. Plate 5 mm thick	2,000	1,000	5	39.3	81	BSEN10025 S275JR		
M.S. Plate 5 mm thick	2,500	1,250	5	39.3	126	BSEN10025 S275JR		
M.S. Plate 5 mm thick	3,000	1,500	5	39.3	181	BSEN10025 S275JR		
M.S. Plate 5 mm thick	4,000	2,000	5	39.3	314	BSEN10025 S275JR		
M.S. Plate 6 mm thick	2,000	1,000	6	47.1	96	BSEN10025 S275JR		
M.S. Plate 6 mm thick	2,500	1,250	6	47.1	151	BSEN10025 S275JR		
M.S. Plate 6 mm thick	3,000	1,500	6	47.1	217	BSEN10025 S275JR		
M.S. Plate 6 mm thick	4,000	2,000	6	47.1	377	BSEN10025 S275JR		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
M.S. Plate 8 mm thick	2,000	1,000	8	62.8	129	BSEN10025 S275JR		
M.S. Plate 8 mm thick	2,500	1,250	8	62.8	201	BSEN10025 S275JR		
M.S. Plate 8 mm thick	3,000	1,500	8	62.8	290	BSEN10025 S275JR		
M.S. Plate 8 mm thick	4,000	2,000	8	62.8	502	BSEN10025 S275JR		
M.S. Plate 10 mm thick	2,000	1,000	10	78.5	161	BSEN10025 S275JR		
M.S. Plate 10 mm thick	2,500	1,250	10	78.5	251	BSEN10025 S275JR		
M.S. Plate 10 mm thick	3,000	1,500	10	78.5	362	BSEN10025 S275JR		
M.S. Plate 10 mm thick	4,000	2,000	10	78.5	628	BSEN10025 S275JR		
M.S. Plate 12.5 mm thick	2,000	1,000	12.5	98.1	201	BSEN10025 S275JR		
M.S. Plate 12.5 mm thick	2,500	1,250	12.5	98.1	315	BSEN10025 S275JR		
M.S. Plate 12.5 mm thick	3,000	1,500	12.5	98.1	453	BSEN10025 S275JR		
M.S. Plate 12.5 mm thick	4,000	2,000	12.5	98.1	785	BSEN10025 S275JR		
M.S. Plate 15 mm thick	2,000	1,000	15	117.8	236	BSEN10025 S275JR		
M.S. Plate 15 mm thick	2,500	1,250	15	117.8	368	BSEN10025 S275JR		
M.S. Plate 15 mm thick	3,000	1,500	15	117.8	530	BSEN10025 S275JR		
M.S. Plate 15 mm thick	4,000	2,000	15	117.8	944	BSEN10025 S275JR		
M.S. Plate 16 mm thick	3,000	1,500	16	125.6	565	BSEN10025 S275JR		
M.S. Plate 16 mm thick	4,000	2,000	16	125.6	1008	BSEN10025 S275JR		
M.S. Plate 20 mm thick	2,000	1,000	20	157	314	BSEN10025 S275JR		
M.S. Plate 20 mm thick	2,500	1,250	20	157	491	BSEN10025 S275JR		
M.S. Plate 20 mm thick	3,000	1,500	20	157	707	BSEN10025 S275JR		
M.S. Plate 20 mm thick	4,000	2,000	20	157	1256	BSEN10025 S275JR		
M.S. Plate 25 mm thick	2,000	1,000	25	196.3	393	BSEN10025 S275JR		
M.S. Plate 25 mm thick	2,500	1,250	25	196.3	613	BSEN10025 S275JR		
M.S. Plate 25 mm thick	3,000	1,500	25	196.3	883	BSEN10025 S275JR		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
M.S. Plate 25 mm thick	4,000	2,000	25	196.3	1576	BSEN10025 S275JR		
M.S. Plate 30 mm thick	2,500	1,250	30	235.5	736	BSEN10025 S275JR		
M.S. Plate 30 mm thick	3,000	1,500	30	235.5	1090	BSEN10025 S275JR		
M.S. Plate 30 mm thick	4,000	2,000	30	235.5	1885	BSEN10025 S275JR		
M.S. Plate 35 mm thick	2,500	1,250	35	274.8	859	BSEN10025 S275JR		
M.S. Plate 35 mm thick	3,000	1,500	35	274.8	1236	BSEN10025 S275JR		
M.S. Plate 35 mm thick	4,000	2,000	35	274.8	2198	BSEN10025 S275JR		
M.S. Plate 40 mm thick	2,500	1,250	40	314	981	BSEN10025 S275JR		
M.S. Plate 40 mm thick	3,000	1,500	40	314	1450	BSEN10025 S275JR		
M.S. Plate 40 mm thick	4,000	2,000	40	314	2512	BSEN10025 S275JR		
M.S. Plate 45 mm thick	2,500	1,250	45	353.2	1104	BSEN10025 S275JR		
M.S. Plate 45 mm thick	3,000	1,500	45	353.2	1589	BSEN10025 S275JR		
M.S. Plate 45 mm thick	4,000	2,000	45	353.2	2825	BSEN10025 S275JR		
M.S. Plate 50 mm thick	2,500	1,250	50	392.5	1227	BSEN10025 S275JR		
M.S. Plate 50 mm thick	3,000	1,500	50	392.5	1721	BSEN10025 S275JR		
M.S. Plate 50 mm thick	4,000	2,000	50	392.5	3140	BSEN10025 S275JR		
M.S. Plate 55 mm thick	2,500	1,250	55	431.8	1380	BSEN10025 S275JR		
M.S. Plate 60 mm thick	2,500	1,250	60	471	1472	BSEN10025 S275JR		
M.S. Plate 60 mm thick	3,000	1,500	60	471	3768	BSEN10025 S275JR		
M.S. Plate 65 mm thick	2,500	1,250	65	510.3	1595	BSEN10025 S275JR		
M.S. Plate 70 mm thick	2,500	1,250	70	549.5	1717	BSEN10025 S275JR		
M.S. Plate 75 mm thick	2,500	1,250	75	588.8	1840	BSEN10025 S275JR		
M.S. Plate 80 mm thick	2,500	1,250	80	628	1963	BSEN10025 S275JR		
M.S. Plate 90 mm thick	2,500	1,250	90	706.5	2208	BSEN10025 S275JR		
M.S. Plate 100 mm thick	2,500	1,250	100	785	2453	BSEN10025 S275JR		

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
M.S. Plate 110 mm thick	2,500	1,250	110	863.5	2698	BSEN10025 S275JR		
M.S. Plate 115mm thick	2,500	1,250	115	902.8	2821	BSEN10025 S275JR		
M.S. Plate 120 mm thick	2,500	1,250	120	942	2943	BSEN10025 S275JR		
M.S. Plate 130 mm thick	2,500	1,250	130	1020.5	3189	BSEN10025 S275JR		
M.S. Plate 140 mm thick	2,500	1,250	140	1099	3434	BSEN10025 S275JR		
M.S. Plate 150 mm thick	2,500	1,250	150	1177.5	3679	BSEN10025 S275JR		
M.S. Plate 160 mm thick	2,500	1,250	160	1256	3925	BSEN10025 S275JR		
M.S. Plate 180 mm thick	2,500	1,250	180	1413	4415	BSEN10025 S275JR		
50D Plate 8 mm thick	2,500	1,250	8	62.8	201	BSEN10025 S355J2		
50D Plate 10 mm thick	2,500	1,250	10	78.5	251	BSEN10025 S355J2		
50D Plate 12.5 mm thick	2,500	1,250	12.5	98.1	315	BSEN10025 S355J2		
50D Plate 15 mm thick	2,500	1,250	15	117.8	368	BSEN10025 S355J2		
50D Plate 20 mm thick	2,500	1,250	20	157	491	BSEN10025 S355J2		
50D Plate 25 mm thick	2,500	1,250	25	196.3	613	BSEN10025 S355J2		
50D Plate 30 mm thick	2,500	1,250	30	235.5	736	BSEN10025 S355J2		
50D Plate 35 mm thick	3,000	1,500	35	274.8	1236	BSEN10025 S355J2		
50D Plate 40 mm thick	2,500	1,250	40	314	981	BSEN10025 S355J2		
50D Plate 50 mm thick	2,500	1,250	50	392.5	1227	BSEN10025 S355J2		
50D Plate 55 mm thick	2,500	1,250	55	431.8	1380	BSEN10025 S355J2		
50D Plate 60 mm thick	2,500	1,250	60	471	1472	BSEN10025 S355J2		
50D Plate 70 mm thick	2,500	1,250	70	549.5	1717	BSEN10025 S355J2		
50D Plate 75 mm thick	2,500	1,250	75	588.8	1840	BSEN10025 S355J2		
50D Plate 100 mm thick	2,500	1,250	100	863.5	2698	BSEN10025 S355J2		
Black EN8 70 mm dia	6,150			30.2	186	BS 970 080M40		
Black EN8 75 mm dia	6,150			34.7	214	BS 970 080M40		

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Black EN8 80 mm dia	6,150			39.5	243	BS 970 080M40		
Black EN8 90 mm dia	6,150			49.9	307	BS 970 080M40		
Black EN8 100 mm dia	6,150			61.7	380	BS 970 080M40		
Black EN8 110 mm dia	5,650			74.6	421	BS 970 080M40		
Black EN8 115 mm dia	6,150			81.5	502	BS 970 080M40		
Black EN8 120 mm dia	6,150			88.7	546	BS 970 080M40		
Black EN8 125 mm dia	6,150			96.3	593	BS 970 080M40		
Black EN8 130 mm dia	6,150			104	640	BS 970 080M40		
Black EN8 140 mm dia	6,150			121	745	BS 970 080M40		
Black EN8 145 mm dia	6,150			130	800	BS 970 080M40		
Black EN8 150 mm dia	6,150			139	855	BS 970 080M40		
Black EN8 155 mm dia	6,150			148	910	BS 970 080M40		
Black EN8 160 mm dia	6,150			158	972	BS 970 080M40		
Black EN8 165 mm dia	6,150			168	1034	BS 970 080M40		
Black EN8 170 mm dia	5,650			178	1095	BS 970 080M40		
Black EN8 180 mm dia	6,150			200	1230	BS 970 080M40		
Black EN8 190 mm dia	6,150			223	1372	BS 970 080M40		
Black EN8 200 mm dia	6,150			247	1520	BS 970 080M40		
Black EN8 210 mm dia	6,150			272	1673	BS 970 080M40		
Black EN8 220 mm dia	6,150			298	1833	BS 970 080M40		
Black EN8 230 mm dia	6,150			326	2005	BS 970 080M40		
Black EN8 240 mm dia	6,150			356	2190	BS 970 080M40		
Black EN8 260 mm dia	6,150			417	2565	BS 970 080M40		
Black EN8 280 mm dia	6,150			483	2971	BS 970 080M40		
Black EN8 300 mm dia	6,150			556	3417	BS 970 080M40		

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
RHS 20 x 20 x 2.0	7,600			1.12	8.5	S 235	COLDFORM	
RHS 25 x 25 x 2.5	7,600			1.74	13	S 235	COLDFORM	
RHS 25 x 25 x 3.0	7,600			2.04	15.5	S 235	COLDFORM	
RHS 30 x 30 x 2.5	7,600			2.14	16	S 235	COLDFORM	
RHS 30 x 30 x 3.0	7,600			2.51	19	S 235	COLDFORM	
RHS 40 x 40 x 2.5	7,600			2.92	22	S 235	COLDFORM	
RHS 40 x 40 x 3.0	7,600			3.45	26	S 235	COLDFORM	
RHS 40 x 40 x 4.0	7,600			4.46	34	S 235	COLDFORM	
RHS 50 x 25 x 3.0	7,600			3.22	24.5	S 235	COLDFORM	
RHS 50 x 30 x 2.5	7,600			2.92	22	S 235	COLDFORM	
RHS 50 x 30 x 3.0	7,600			3.45	26	S 235	COLDFORM	
RHS 50 x 50 x 2.5	7,600			3.71	29	S 235	COLDFORM	
RHS 50 x 50 x 3.0	7,600			4.39	33	S 235	COLDFORM	
RHS 50 x 50 x 4.0	7,600			5.72	43.5	S 235	COLDFORM	
RHS 50 x 50 x 5.0	7,600			6.97	53	S 235	COLDFORM	
RHS 60 x 40 x 3.0	7,600			4.39	33	S 235	COLDFORM	
RHS 60 x 40 x 4.0	7,600			5.72	43.5	S 235	COLDFORM	
RHS 70 x 70 x 3.0	7,600			6.13	46.5	S 235	COLDFORM	
RHS 70 x 70 x 3.6	7,600			7.46	57	S 235	COLDFORM	
RHS 75 x 50 x 3.0	7,600			5.52	140	S 235	COLDFORM	
RHS 80 x 80 x 3.0	7,600			7.22	55	S 235	COLDFORM	
RHS 80 x 80 x 5.0	7,600			11.7	89	S 235	COLDFORM	
RHS 90 x 90 x 5.0	7,600			13.3	102	S 235	COLDFORM	
RHS 100 x 50 x 4.0	7,600			8.86	67	S 235	COLDFORM	
RHS 100 x 100 x 4.0	7,600			12	91	S 235	COLDFORM	

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
RHS 100 x 100 x 5.0	7,600			14.8	113	S 235	COLDFORM	
RHS 100 x 100 x 6.0	7,600			17.6	134	S 235	COLDFORM	
RHS 120 x 60 x 3.6	7,600			9.72	74	S 235	COLDFORM	
RHS 120 x 60 x 5.0	7,600			13.3	101	S 235	COLDFORM	
RHS 120 x 60 x 6.0	7,600			15.7	119	S 235	COLDFORM	
RHS 120 x 80 x 5.0	7,600			14.8	113	S 235	COLDFORM	
RHS 120 x 120 x 5.0	7,600			18	137	S 235	COLDFORM	
RHS 160 x 80 x 6.0	7,600			21.3	162	S 235	COLDFORM	
Black M.S. 6 mm dia	6,150			0.22	1.5	BSEN10025 S275JR		
Black M.S. 8 mm dia	6,150			0.4	2.5	BSEN10025 S275JR		
Black M.S. 10 mm dia	6,150			0.62	4	BSEN10025 S275JR		
Black M.S. 12 mm dia	6,150			0.89	5.5	BSEN10025 S275JR		
Black M.S. 16 mm dia	6,150			1.58	10	BSEN10025 S275JR		
Black M.S. 20 mm dia	6,150			2.47	16	BSEN10025 S275JR		
Black M.S. 25 mm dia	6,150			3.85	24	BSEN10025 S275JR		
Black M.S. 30 mm dia	6,150			5.55	35	BSEN10025 S275JR		
Black M.S. 32 mm dia	6,150			6.31	39	BSEN10025 S275JR		
Black M.S. 40 mm dia	6,150			9.86	61	BSEN10025 S275JR		
Black M.S. 75 mm dia	6,150			34.7	214	BSEN10025 S275JR		
Black M.S. 80 mm dia	6,150			39.5	243	BSEN10025 S275JR		
Black M.S. 90 mm dia	6,150			49.9	307	BSEN10025 S275JR		
Black M.S. 100 mm dia	6,150			61.7	380	BSEN10025 S275JR		
Black M.S. 105 mm dia	6,150			68	419	BSEN10025 S275JR		
Black M.S. 110 mm dia	6,150			74.6	459	BSEN10025 S275JR		
Black M.S. 115 mm dia	6,150			81.5	502	BSEN10025 S275JR		

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Black M.S. 120 mm dia	6,150			88.7	546	BSEN10025 S275JR		
Black M.S. 130 mm dia	6,150			104	640	BSEN10025 S275JR		
Black M.S. 140 mm dia	6,150			121	745	BSEN10025 S275JR		
Black M.S. 145 mm dia	6,150			130	800	BSEN10025 S275JR		
Black M.S. 150 mm dia	6,150			139	855	BSEN10025 S275JR		
Black M.S. 160 mm dia	6,150			158	972	BSEN10025 S275JR		
Black M.S. 165 mm dia	6,150			168	1034	BSEN10025 S275JR		
Black M.S. 170 mm dia	6,150			178	1095	BSEN10025 S275JR		
Black M.S. 180 mm dia	6,150			200	1230	BSEN10025 S275JR		
Black M.S. 190 mm dia	6,150			223	1372	BSEN10025 S275JR		
Black M.S. 200 mm dia	6,150			247	1520	BSEN10025 S275JR		
Black M.S. 210 mm dia	6,150			272	1673	BSEN10025 S275JR		
Black M.S. 220 mm dia	6,150			298	1833	BSEN10025 S275JR		
Black M.S. 230 mm dia	6,150			326	2005	BSEN10025 S275JR		
Black M.S. 240 mm dia	6,150			356	2190	BSEN10025 S275JR		
Black M.S. 250 mm dia	6,150			385	2368	BSEN10025 S275JR		
Black M.S. 260 mm dia	6,150			417	2565	BSEN10025 S275JR		
Black M.S. 280 mm dia	6,150			783	2971	BSEN10025 S275JR		
Black M.S. 300 mm dia	6,150			556	3417	BSEN10025 S275JR		
C.R. Sheet 0.8 mm thick	2,000	1,000	0.8	6.28	13	BS1449 CR4	COLD REDUCED	
C.R. Sheet 0.8 mm thick	2,500	1,250	0.8	6.28	19.62	BS1449 CR4	COLD REDUCED	
C.R. Sheet 1.0 mm thick	2,000	1,000	1	7.85	17	BS1449 CR4	COLD REDUCED	
C.R. Sheet 1.0 mm thick	2,500	1,250	1	7.85	25	BS1449 CR4	COLD REDUCED	
C.R. Sheet 1.2 mm thick	2,000	1,000	1.2	9.42	20	BS1449 CR4	COLD REDUCED	
C.R. Sheet 1.2 mm thick	2,500	1,250	1.2	9.42	31	BS1449 CR4	COLD REDUCED	

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
C.R. Sheet 1.2 mm thick	3,000	1,500	1.2	9.42	42.39	BS1449 CR4	COLD REDUCED	
C.R. Sheet 1.5 mm thick	2,000	1,000	1.5	11.7	23.4	BS1449 CR4	COLD REDUCED	
C.R. Sheet 1.5 mm thick	2,500	1,250	1.5	11.7	36.56	BS1449 CR4	COLD REDUCED	
C.R. Sheet 1.5 mm thick	3,000	1,500	1.5	11.7	52.65	BS1449 CR4	COLD REDUCED	
C.R. Sheet 2.0 mm thick	2,000	1,000	2	15.7	32	BS1449 CR4	COLD REDUCED	
C.R. Sheet 2.0 mm thick	2,500	1,250	2	15.7	50	BS1449 CR4	COLD REDUCED	
C.R. Sheet 2.0 mm thick	3,000	1,500	2	15.7	72	BS1449 CR4	COLD REDUCED	
C.R. Sheet 2.5 mm thick	2,500	1,250	2.5	19.63	64	BS1449 CR4	COLD REDUCED	
C.R. Sheet 2.5 mm thick	3,000	1,500	2.5	19.63	89	BS1449 CR4	COLD REDUCED	
C.R. Sheet 3.0 mm thick	2,000	1,000	3	23.6	48	BS1449 CR4	COLD REDUCED	
C.R. Sheet 3.0 mm thick	2,500	1,250	3	23.6	76	BS1449 CR4	COLD REDUCED	
C.R. Sheet 3.0 mm thick	3,000	1,500	3	23.6	106.2	BS1449 CR4	COLD REDUCED	
H.R. Sheet 1.6 mm thick	2,000	1,000	1.6	12.56	26	BS1449 HR4	HOT ROLLED	
H.R. Sheet 1.6 mm thick	2,500	1,250	1.6	12.56	40	BS1449 HR4	HOT ROLLED	
H.R. Sheet 2.0 mm thick	2,000	1,000	2	15.7	32	BS1449 HR4	HOT ROLLED	
H.R. Sheet 2.0 mm thick	2,500	1,250	2	15.7	50	BS1449 HR4	HOT ROLLED	
H.R. Sheet 2.0 mm thick	3,000	1,500	2	15.7	72	BS1449 HR4	HOT ROLLED	
H.R. Sheet 2.5 mm thick	2,000	1,000	2.5	19.63	40	BS1449 HR4	HOT ROLLED	
H.R. Sheet 2.5 mm thick	2,500	1,250	2.5	19.63	64	BS1449 HR4	HOT ROLLED	
H.R. Sheet 2.5 mm thick	3,000	1,500	2.5	19.63	89	BS1449 HR4	HOT ROLLED	
Black M.S. 8 mm square	6,150			0.5	3	BSEN10025 S275JR		
Black M.S. 10 mm square	6,150			0.79	5	BSEN10025 S275JR		
Black M.S. 12 mm square	6,150			1.13	7	BSEN10025 S275JR		
Black M.S. 16 mm square	6,150			2.01	13	BSEN10025 S275JR		
Black M.S. 20 mm square	6,150			3.14	20	BSEN10025 S275JR		



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Black M.S. 25 mm square	6,150			4.91	31	BSEN10025 S275JR		
Black M.S. 30 mm square	6,150			7.07	44	BSEN10025 S275JR		
Black M.S. 32 mm square	6,150			8.04	50	BSEN10025 S275JR		
Black M.S. 35 mm square	6,150			9.62	60	BSEN10025 S275JR		
Black M.S. 40 mm square	6,150			12.6	78	BSEN10025 S275JR		
Black M.S. 45 mm square	6,150			15.9	98	BSEN10025 S275JR		
Black M.S. 50 mm square	6,150			19.6	121	BSEN10025 S275JR		
Black M.S. 60 mm square	6,150			28.3	174	BSEN10025 S275JR		
Black M.S. 70 mm square	6,150			38.5	236	BSEN10025 S275JR		
Black M.S. 80 mm square	6,150			50.2	309	BSEN10025 S275JR		
Black M.S. 90 mm square	6,150			63.6	392	BSEN10025 S275JR		
Black M.S. 100 mm square	6,150			78.3	482	BSEN10025 S275JR		
Stainless Angle 20 x 20 x 3	6,400			0.94	6	304 SS BAR		
Stainless Angle 25 x 25 x 3	6,400			1.14	7.2	304 SS BAR		
Stainless Angle 30 x 30 x 3	6,400			1.36	8.7	304 SS BAR		
Stainless Angle 40 x 40 x 3	6,400			1.76	11.26	304 SS BAR		
Stainless Angle 40 x 40 x 5	6,400			2.97	19	304 SS BAR		
Stainless Angle 50 x 50 x 3	6,400			2.24	14.33	304 SS BAR		
Stainless Angle 50 x 50 x 5	6,400			3.77	24.12	304 SS BAR		
Stainless Angle 50 x 50 x 6	6,400			4.47	28.6	304 SS BAR		
Stainless Flat 20 x 3	4,300			0.47	2	304 SS BAR	DESCALED	
Stainless Flat 20 x 5	4,300			0.82	3.5	304 SS BAR	DESCALED	
Stainless Flat 25 x 3	4,300			0.59	2.53	304 SS BAR	DESCALED	
Stainless Flat 25 x 5	4,300			0.98	4.21	304 SS BAR	DESCALED	
Stainless Flat 25 x 6	4,300			1.18	5	304 SS BAR	DESCALED	



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Stainless Flat 25 x 8	4,300			1.55	6.6	304 SS BAR	DESCALED	
Stainless Flat 25 x 10	4,300			1.96	8.4	304 SS BAR	DESCALED	
Stainless Flat 30 x 3	4,300			0.71	3	304 SS BAR	DESCALED	
Stainless Flat 30 x 5	4,300			1.2	5.1	304 SS BAR	DESCALED	
Stainless Flat 30 x 6	4,300			1.41	6	304 SS BAR	DESCALED	
Stainless Flat 40 x 3	4,300			0.942	4	304 SS BAR	DESCALED	
Stainless Flat 40 x 5	4,300			1.57	6.75	304 SS BAR	DESCALED	
Stainless Flat 40 x 6	4,300			1.88	8.08	304 SS BAR	DESCALED	
Stainless Flat 40 x 8	4,300			2.5	10.7	304 SS BAR	DESCALED	
Stainless Flat 40 x 10	4,300			3.14	13.5	304 SS BAR	DESCALED	
Stainless Flat 45 x 5	4,300			1.8	7.7	304 SS BAR	DESCALED	
Stainless Flat 50 x 3	4,300			1.18	5	304 SS BAR	DESCALED	
Stainless Flat 50 x 5	4,300			1.96	8.4	304 SS BAR	DESCALED	
Stainless Flat 50 x 6	4,300			2.4	10.3	304 SS BAR	DESCALED	
Stainless Flat 50 x 8	4,300			3.2	13.7	304 SS BAR	DESCALED	
Stainless Flat 50 x 10	4,300			3.93	16.9	304 SS BAR	DESCALED	
Stainless Flat 60 x 10	4,300			4.75	20.4	304 SS BAR	DESCALED	
Stainless RHS 20 x 20 x 1.5	6,100			0.88	5.37	304 SS BAR	DPOF	PLASTIC
Stainless RHS 25 x 25 x 1.2	6,100			0.92	5.61	304 SS BAR	DPOF	PLASTIC
Stainless RHS 25 x 25 x 1.5	6,100			1.14	6.95	304 SS BAR	DPOF	PLASTIC
Stainless RHS 30 x 30 x 1.2	6,100			1.1	6.71	304 SS BAR	DPOF	PLASTIC
Stainless RHS 30 x 30 x 1.5	6,100			1.37	8.35	304 SS BAR	DPOF	PLASTIC
Stainless RHS 30 x 30 x 2.0	6,100			1.84	11.22	304 SS BAR	DPOF	PLASTIC
Stainless RHS 40 x 20 x 1.5	6,100			1.37	8.35	304 SS BAR	DPOF	PLASTIC
Stainless RHS 40 x 40 x 1.5	6,100			1.85	11.28	304 SS BAR	DPOF	PLASTIC

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Stainless RHS 40 x 40 x 2.0	6,100			2.45	14.94	304 SS BAR	DPOF	PLASTIC
Stainless RHS 40 x 40 x 3.0	6,100			3.75	22.87	304 SS BAR	DPOF	PLASTIC
Stainless RHS 50 x 25 x 1.5	6,100			1.75	10.67	304 SS BAR	DPOF	PLASTIC
Stainless RHS 50 x 25 x 2.0	6,100			2.31	14.09	304 SS BAR	DPOF	PLASTIC
Stainless RHS 50 x 50 x 1.5	6,100			2.32	14.15	304 SS BAR	DPOF	PLASTIC
Stainless RHS 50 x 50 x 2.0	6,100			3.08	18.79	304 SS BAR	DPOF	PLASTIC
Stainless RHS 50 x 50 x 3.0	6,100			4.65	28.36	304 SS BAR	DPOF	PLASTIC
Stainless Round Bar 3 mm Dia	3,300			0.05	0.16	304 SS BAR	BRTDRAWN	
Stainless Round Bar 4 mm Dia	3,300			0.09	0.29	304 SS BAR	BRTDRAWN	
Stainless Round Bar 5 mm Dia	3,300			0.15	0.49	304 SS BAR	BRTDRAWN	
Stainless Round Bar 6 mm Dia	3,300			0.22	0.73	304 SS BAR	BRTDRAWN	
Stainless Round Bar 8 mm Dia	3,300			0.39	1.29	304 SS BAR	BRTDRAWN	
Stainless Round Bar 10 mm Dia	3,300			0.61	2	304 SS BAR	BRTDRAWN	
Stainless Round Bar 12 mm Dia	3,300			0.88	2.9	304 SS BAR	BRTDRAWN	
Stainless Round Bar 16 mm Dia	3,300			1.57	5.18	304 SS BAR	BRTDRAWN	
Stainless Round Bar 20 mm Dia	3,300			2.46	8.11	304 SS BAR	BRTDRAWN	
Stainless Round Bar 25 mm Dia	3,300			3.87	12.77	304 SS BAR	BRTDRAWN	
Stainless Round Bar 30 mm Dia	3,300			5.53	18.25	304 SS BAR	BRTDRAWN	
Stainless Round Bar 3/4 " Dia	3,300			2.23	7.36	304 SS BAR	BRTDRAWN	
Stainless Round Bar 1" Dia	3,300			3.98	13.03	304 SS BAR	BRTDRAWN	
Stainless Round Bar 1.1/4 Dia	3,300			6.2	20.46	304 SS BAR	BRTDRAWN	
Stainless Round Bar 1.1/2 Dia	3,300			8.94	29.5	304 SS BAR	BRTDRAWN	
Stainless Round Bar 1.3/4 Dia	3,300			12.2	40.26	304 SS BAR	BRTDRAWN	
Stainless Round Bar 2 " Dia	3,300			15.9	52.47	304 SS BAR	BRTDRAWN	
Stainless Round Bar 2.1/2 Dia	3,300			22.4	73.92	304 SS BAR	BRTDRAWN	



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Stainless Round Bar 2.3/4 Dia	3,300			30	99	304 SS BAR	BRTDRAWN	
Stainless Sheet 0.7 mm thick	2,500	1,250	0.7		17.9	304 SS CR STRIP	BA	VC1
Stainless Sheet 0.7 mm thick	2,500	1,250	0.7		17.9	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 0.9 mm thick	2,500	1,250	0.9		23	304 SS CR STRIP	BA	VC1
Stainless Sheet 0.9 mm thick	2,000	1,000	0.9		14.7	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 0.9 mm thick	2,500	1,250	0.9		23	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 0.9 mm thick	3,000	1,500	0.9		33	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 0.9 mm thick	3,658	1,000	0.9		26.9	304 SS CR STRIP	DP2 - 240	VC2
Stainless Sheet 1.2 mm thick	2,000	1,000	1.2		19.6	304 SS CR STRIP	BA	VC1
Stainless Sheet 1.2 mm thick	2,500	1,250	1.2		30.7	304 SS CR STRIP	BA	VC1
Stainless Sheet 1.2 mm thick	2,500	1,250	1.2		30.7	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 1.2 mm thick	3,000	1,500	1.2		44.2	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 1.2 mm thick	3,048	1,000	1.2		29.8	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 1.2 mm thick	2,000	1,000	1.2		19.6	304 SS CR STRIP	2B	PAPER
Stainless Sheet 1.5 mm thick	2,000	1,000	1.5		24.6	304 SS CR STRIP	BA	VC1
Stainless Sheet 1.5 mm thick	2,500	1,250	1.5		38.4	304 SS CR STRIP	BA	VC1
Stainless Sheet 1.5 mm thick	2,000	1,000	1.5		24.6	304 SS CR STRIP	DP1 - 240	LGVC1
Stainless Sheet 1.5 mm thick	2,000	1,000	1.5		24.6	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 1.5 mm thick	2,500	1,250	1.5		38.4	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 1.5 mm thick	3,000	1,500	1.5		55.3	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 1.5 mm thick	3,048	762	1.5		28.5	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 1.5 mm thick	3,048	838	1.5		31.36	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 1.5 mm thick	3,048	1,250	1.5		46.78	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 1.5 mm thick	2,000	1,000	1.5		24.6	304 SS CR STRIP	2B	PAPER
Stainless Sheet 2.0 mm thick	2,000	1,000	2		32.7	304 SS CR STRIP	DP1 - 240	LGVC1

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Stainless Sheet 2.0 mm thick	2,500	1,250	2		51.2	304 SS CR STRIP	DP1 - 240	LGVC1
Stainless Sheet 2.0 mm thick	3,000	1,500	2		73.7	304 SS CR STRIP	DP1 - 240	LGVC1
Stainless Sheet 2.0 mm thick	2,000	1,000	2		32.7	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 2.0 mm thick	2,500	1,250	2		51.2	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 2.0 mm thick	3,000	1,500	2		73.7	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 2.5 mm thick	2,000	1,000	2.5		40.9	304 SS CR STRIP	2B	PAPER
Stainless Sheet 3.0 mm thick	2,000	1,000	3		49.6	304 SS CR STRIP	DP1 - 240	VC1
Stainless Sheet 3.0 mm thick	2,500	1,250	3		77.5	304 SS CR STRIP	DP1 - 240	VC1
Stainless Tube 60.3 o/dx1.5 mm	6,100			3.93	24	304 SS BAR	DPOF	PLASTIC
Stainless Tube 1" o/d x 1.5 mm	6,100			0.99	6	304 SS BAR	BPW	PLASTIC
Stainless Tube 1.1/2 o/d x 1.5	6,100			1.51	9.21	304 SS BAR	BPW	PLASTIC
Stainless Tube 2" o/d x 1.5 mm	6,100			1.88	11.4	304 SS BAR	BPW	PLASTIC
Black M.S. Tees 25 x 25 x 3	6,150			1.2	7.4	BSEN10025 S275JR		
Black M.S. Tees 30 x 30 x 5	6,150			2.16	13.28	BSEN10025 S275JR		
Black M.S. Tees 40 x 40 x 5	6,150			2.96	18.2	BSEN10025 S275JR		
Black M.S. Tees 40 x 40 x 6	6,150			3.49	21.46	BSEN10025 S275JR		
Black M.S. Tees 50 x 50 x 6	6,150			4.44	27.3	BSEN10025 S275JR		
Gas Tube 15 mm N/B	6,500			1.22	8	BS1387	SELFCOLOUR	
Gas Tube 20 mm N/B	6,500			1.58	11	BS1387	SELFCOLOUR	
Gas Tube 25 mm N/B	6,500			2.92	19	BS1387	GALV	
Gas Tube 25 mm N/B	6,500			2.43	15.8	BS1387	SELFCOLOUR	
Gas Tube 40 mm N/B	6,500			3.5	22.77	BS1387	SELFCOLOUR	
U Beam 127 x 76 x 13 kg/m	12,200			13	158.6	BSEN10025 S275JR		
U Beam 152 x 89 x 16 kg/m	12,200			16	195.2	BSEN10025 S275JR		
U Column 152 x 152 x 23 kg/m	12,200			23	280.6	BSEN10025 S275JR		

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
U Column 152 x 152 x 30 kg/m	12,200			30	366	BSEN10025 S275JR		
U Column 152 x 152 x 37 kg/m	12,200			37	451.4	BSEN10025 S275JR		
U Beam 178 x 102 x 19 kg/m	12,200			19	231.8	BSEN10025 S275JR		
U Beam 203 x 102 x 23 kg/m	12,200			23	280.6	BSEN10025 S275JR		
U Beam 203 x 133 x 25 kg/m	12,200			25	305	BSEN10025 S275JR		
U Beam 203 x 133 x 30 kg/m	12,200			30	366	BSEN10025 S275JR		
U Column 203 x 203 x 46 kg/m	12,200			46	561.2	BSEN10025 S275JR		
U Beam 254 x 102 x 28 kg/m	12,200			28	341.6	BSEN10025 S275JR		
U Beam 254 x 146 x 31 kg/m	12,200			31	378.2	BSEN10025 S275JR		
U Beam 254 x 146 x 37 kg/m	12,200			37	451.4	BSEN10025 S275JR		
U Beam 305 x 102 x 33 kg/m	12,200			33	402.6	BSEN10025 S275JR		
U Beam 305 x 127 x 42 kg/m	12,200			42	512.4	BSEN10025 S275JR		
U Beam 305 x 165 x 40 kg/m	12,200			40	488	BSEN10025 S275JR		
U Beam 356 x 171 x 51 kg/m	12,200			51	622.2	BSEN10025 S275JR		
Weldmesh 1 x 1 x 8 gauge	2,438	1,219			23	MILD STEEL	SELFCOLOUR	
Weldmesh 1 x 1 x 10 gauge	2,438	1,219			18	MILD STEEL	GALV	
Weldmesh 1 x 1 x 10 gauge	2,438	1,219			15	MILD STEEL	SELFCOLOUR	
Weldmesh 1 x 1 x 12 gauge	2,438	1,219			10	MILD STEEL	SELFCOLOUR	
Weldmesh 2 x 2 x 10 gauge	2,438	1,219			13	MILD STEEL	GALV	
Weldmesh 2 x 2 x 10 gauge	2,438	1,219			8	MILD STEEL	SELFCOLOUR	
Weldmesh 3 x 1/2 x 10 gauge	2,438	1,219			17	MILD STEEL	SELFCOLOUR	
Zintec Sheet 0.9 mm thick	2,000	1,000	0.9	7.35	16	BSEN10152DC01ZE	ZINTEC	
Zintec Sheet 0.9 mm thick	2,500	1,250	0.9	7.35	24	BSEN10152DC01ZE	ZINTEC	
Zintec Sheet 1.0 mm thick	2,000	1,000	1	7.85	17	BSEN10152DC01ZE	ZINTEC	
Zintec Sheet 1.0 mm thick	2,500	1,250	1	7.85	25	BSEN10152DC01ZE	ZINTEC	



Contact our Sales Team

T:01 422 833993 F:01 422 834100

Lines open Mon/Thurs 8am - 5.15pm | Fri 8am - 4.30pm

Item Description	Length	Width	Sheet/Plate Thickness	Weight per metre Kg	Approx weight per bar/sheet Kg	Specification Code	Finish Code	Condition Code
Zintec Sheet 1.2 mm thick	2,000	1,000	1.2	9.42	20	BSEN10152DC01ZE	ZINTEC	
Zintec Sheet 1.2 mm thick	2,500	1,250	1.2	9.42	31	BSEN10152DC01ZE	ZINTEC	
Zintec Sheet 1.2 mm thick	3,000	1,500	1.2	9.42	42.39	BSEN10152DC01ZE	ZINTEC	
Zintec Sheet 1.5 mm thick	2,000	1,000	1.5	12.56	26	BSEN10152DC01ZE	ZINTEC	
Zintec Sheet 1.5 mm thick	2,500	1,250	1.5	12.56	40	BSEN10152DC01ZE	ZINTEC	
Zintec Sheet 1.5 mm thick	3,000	1,500	1.5	12.56	56.52	BSEN10152DC01ZE	ZINTEC	
Zintec Sheet 2.0 mm thick	2,000	1,000	2	15.7	32	BSEN10152DC01ZE	ZINTEC	
Zintec Sheet 2.0 mm thick	2,500	1,250	2	15.7	50	BSEN10152DC01ZE	ZINTEC	
Zintec Sheet 2.0 mm thick	3,000	1,500	2	15.7	70.6	BSEN10152DC01ZE	ZINTEC	
Zintec Sheet 2.5 mm thick	2,500	1,250	2.5	19.6	61.4	BSEN10152DC01ZE	ZINTEC	
Zintec Sheet 3.0 mm thick	2,500	1,250	3	23.6	76	BSEN10152DC01ZE	ZINTEC	